Login Username	NHPUC 14JUL'16PH1:1(
Login Email	
NH Public Utilities Commission	
REC Aggregator Portal	
New Users CLICK HERE to setup your account for this form. Creating an account to partially complete the form and return later to finish it or to make chan is submitted. Be sure to create your account BEFORE entering information in the information will be lost.	nges after the form
Existing Users CLICK HERE	
Basic Information	
Aggregator Batch Number	
KE071116	
Aggregator name	
Knollwood Energy	
Facility Owner Name	
Luce Marcus	
Facility Address	
26 Post Rd	
Facility Town/City	
Hooksett	
Facility State	
NH	
Facility Zip	
03106	
Mailing Zip	

Primary Contact		
Karen Tenneson		
Facility Information		
Class		
11		
Utility		
PSNH		
Other Utility Name		
To obtain a GIS ID contact:		
James Webb		
408 517 2174		
jwebb@apx.com		
GIS ID (include "NON")		
NON86213		
Date of Initial Operation		
12/01/2014		
Facility Operator Name, if applicable		
acinty Operator Name, il applicable		
Panel Make #1		
Solarworld		
Panel Model		
SW275M		
Panel Quantity		
33		
Panel Rated Output		
275		
Other panel make		

r. e

Other panel model
More Panel types?
NoYes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
More Panel types? No Yes
Panel Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
9075
Inverter Make
Enphase Energy
Other inverter make

, ,

Inverter Quantity
33
Additional Inverter Make None
Add'I Inverter Quantity
Add Inverter Quantity
Rated Output - Primary Inverter
250
Rated Output - Additional Inverter
System capacity based on single inverter make
8250
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
9.3
Revenue Grade Meter Make
Revenue Grade GIS Approved Meter
ENPHASE
Other revenue-grade GIS-approved meter
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Steven Richard 8366M
Other Electrician Name & Number

Installation Company
RGS Energy
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State
Other Inst. Company Zip
Equipment Vendor Company Name
Independent Monitor Name & Company
Other
Other Monitor Name and Company
Marcus Luce
Is the installer also the equipment supplier?
● Yes ○ No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-7190474_hk6fCCbX_Luce_COC.pdf
· · · · · · · · · · · · · · · · · · ·

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.

A revenue quality meter (meeting ANSI C-12.1-2008 for installations up to and including 10 kW, or ANSI C12.16 or better for installations greater than 10kW up to 1 mW) is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-7190474_avglT42o_Luce_contract_part_3_-_signed.pdf

Please attach additional document here

Kan Jo

https://fs30.formsite.com/jan1947/files/f-5-173-7190474_ikTuHtYU_Luce_SPIA.pdf

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

07/11/2016

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA (Continued)

Exhibit B - Certificate of Completion for Simplified Process Interconnections

Installation Information:	Check if owner-installed
	us Luce
-	
	State: <u>NH</u> Zip Code: <u>03106</u>
	(Evening):
Facsimile Number:	E-Mail Address:marcusnhcl@yahoo.com
City:	State: Zip Code:
Generation Vendor:	Contact Person:
I herby certify that the system hardware is in comp	pliance with Puc 900.
Vendor Signature:	Date:
Mailing Address: City: Telephone (Daytime): 802-295-389 Facsimile Number: 803-295-791 License number: 8366 M	State: Zip Code: SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS
Inspection:	
The system has been installed and inspected in co	mpliance with the local Building/Electrical Code of
(City/County)	ch signed electrical inspection):
Name (printed):	, , , , , , , , , , , , , , , , , , ,
Date:	
Customer Certification:	
I hereby certify that, to the best of my knowledge, correct. This system has been installed and shall initial start up test required by Puc 905.04 has been installed and shall be initial start up test required by Puc 905.04 has been installed and shall be initial start up test required by Puc 905.04 has been installed and shall be initial start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been installed and shall be initially start up test required by Puc 905.04 has been	
Customer Signature:	Date: 1-20-15

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA (Continued)

As a condition of interconnection you are required to send/fax a copy of this form to:

Company:

Public Service Company of New Hampshire

Name:

Supplemental Energy Sources Department

Mail 1:

780 North Commercial Street

Mail 2:

P. O. Box 330 City, State ZIP: Manchester, NH 03105-0330

Fax No.: (603) 634-2449

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Marcus Luce

Printed Name of signature owner

Signature of system owner

PSNH Project ID # <u>N 3 2 6 3</u>

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

NOV 1 9 2014

RECEIVED

Simplified Process Interconnection Application and Service Agreement

SESD

	Date Prepared:11/6/2014		
Contact Information:	•		
Legal Name and Address of Interconnecting Custom	Legal Name and Address of Interconnecting Customer (or, Company name, if appropriate)		
Customer or Company Name (print): Marcus Li	Luce		
Mailing Address: 26 Post Road			
City: Hooksett State:	: <u>NH</u> Zip Code: 03106		
	(Evening):		
	E-Mail Address: marcusnhcl@yahoo.com		
Alternative Contact Information (e.g., System inst	stallation contractor or coordinating company, if appropriate):		
Mailing Address: _32 Taugwonk Spur A12			
City: Stonington State:	CT Zip Code:06378		
Telephone (Daytime): 860-535-9495	(Evening):		
	E-Mail Address: ecincentives@realgoods.com		
Electrical Contractor Contact Information (if app	propriate):		
Name: Craig Reekie	F		
	: <u>CT</u> Zip Code: <u>06378</u>	2	
	(Evening):		
	E-Mail Address:		
a dosimilo i (dilitori)	E-Mail Address:		
Facility Site Information:			
Facility (Site) Address: 26 Post Road			
	: <u>NH</u> Zip Code: 03106		
Flantria	C 7099	7199 /	
Service Company: PSNH Accou	unt Number: 56126866003 Meter Number: G692425	37 (4.5)	
Non-Default' Service Customers Only:	unt Number: Meter Number:	or (OLD)	
Competitive Electric			
•	A		
	Account Number:		
Supply Company.)	npany should verify the Terms & Conditions of their contract with the	ir Energy	
Facility Machine Information:	b.		
Generator/	Madel News R		
Inverter Manufacturer: Enphase Energy	Model Name & M250 60 21 I \$22 / A A A A A A A A A A A A A A A A A A	′ 33	
	Number: <u>M250-60-2LL-S22</u> / Quantity: <u>V</u>		
Nameplate Rating: 0.250 (kW) (kVA) 240 (AC Volts) Phase: Single X Three			
System Design Capacity: 8.25 AC (kW) (kVA) Battery Backup: Yes No X			
Net Metering: If Renewably Fueled, will the account be Net Metered? Yes X No			
Prime Mover: Photovoltaic X Reciprocating Er			
Energy Source: Solar 🗶 Wind 🗌 Hydro 🗌	Diesel Natural Gas Fuel Oil Other		

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

	Inverter-based Generating Facilities:		
ν	UL 1741 / IEEE 1547.1 Compliant (Refer To Part Puc 906 Compliance Path For Inverter Units, Part Puc 906.01 Inverter Requirements) Yes X No		
	The standard UL 1741.1 dated May, 2007 or later, "Inverters, Converters, and Controllers for Use in Independent Power Systems," addresses the electrical interconnection design of various forms of generating equipment. Many manufacturers choose to submit their equipment to a Nationally Recognized Testing Laboratory (NRTL) that verifies compliance with UL 1741.1. This term "Listed" is then marked on the equipment and supporting documentation. Please include, any documentation provided by the inverter manufacturer describing the inverter's UL 1741/IEEE 1547.1 listing.		
, V	External Manual Disconnect Switch: An External Manual Disconnect Switch shall be installed in accordance with 'Part Puc 905 Technical Requirements For Interconnections For Facilities, Puc 905.01 Requirements For Disconnect Switches and 905.02 Disconnect Switch.' Yes X No		
	Location of External Manual Disconnect Switch: Exterior of home, next to utility meter.		
	Project Estimated Install Date: 4/21/2015 Project Estimated In-Service Date: 5/21/2015		
	Interconnecting Customer Signature:		
	I hereby certify that, to the best of my knowledge, all of the information provided in this application is true and I agree to the <u>Terms</u> and <u>Conditions for Simplified Process Interconnections</u> attached hereto:		
	Customer Signature: Homeowner Date: 11/10/2014		
	Please include, a one-line and/or three-line drawing of proposed installation		
	For PSNH Use Only		
	Approval to Install Facility:		
	Installation of the Facility is approved contingent upon the Terms and Conditions For Simplified Process Interconnections of this		
	Agreement, and agreement to any system modifications, if required.		
	Are system modifications required? Yes No To be Determined		
	Company Signature: Muhaul Wota Title: Se. Eng. NEER Date: 11.21.4		
	PSNH Application Project ID#:		

PUBLIC SERVICE COMPANY OF NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes No	Date of inspection/Witness Test:
--	----------------------------------

- Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its
 Application once the Approval to Install the Facility has been signed by the Company.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).